

10/653,690

| | Hits | Search Text | DBs |
|---|------|--|---|
| 1 | 170 | (configuration near9 file\$1) and similarit\$3 and server\$1 and remot\$3 and (data\$1base\$1 or storage\$1 or repositor\$3) and (dbms or (database with management with system\$1)) and search\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 2 | 111 | 1 and @ad < "20020903" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 3 | 56 | 2 and score\$1 and (client\$1 or user\$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 4 | 0 | 3 and anchor\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 5 | 54 | 3 and ((generat\$4 or creat\$4 or build\$4 or structur\$4 or form\$4) with command\$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 6 | 0 | 5 and (normali\$4 with score\$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |

| | Hits | Search Text | DBs |
|----|------|---|---|
| 7 | 1 | 5 and normali\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 8 | 1 | 7 and weight\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 9 | 1 | 8 and measure\$5 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 10 | 0 | 9 and schema\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 11 | 47 | 5 and weight\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 12 | 47 | 11 and (zero or "0"\$2) and (one\$1 or "1"\$2) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |

| | Hits | Search Text | DBs |
|----|------|---------------------|---|
| 13 | 2 | ("6829606").PN. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 14 | 10 | 12 and schema\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 15 | 10 | 14 and match\$5 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 16 | 7 | 15 and partition\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 17 | 0 | 7 and gateway\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 18 | 7 | 16 and gateway\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |

| | Hits | Search Text | DBs |
|----|------|---|---|
| 19 | 7 | 18 and (sum\$1 or total\$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 20 | 0 | 19 and driver\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 21 | 7 | 19 and (ssl or (secured adj socket\$1 adj layer\$1)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 22 | 7 | 21 and (min or minimum) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 23 | 7 | 22 and (max or maximum) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 24 | 0 | 23 and (greedy adj sum) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |

| | Hits | Search Text | DBs |
|----|------|---|---|
| 25 | 0 | 23 and (overall adj sum) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 26 | 7 | 23 and secur\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 27 | 0 | 27 and (similarit\$3 near5 score\$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 28 | 0 | 27 and (similarit\$3 with score\$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 29 | 7 | 26 and value\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 30 | 4720 | similarit\$3 near9 score\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |

| | Hits | Search Text | DBs |
|----|------|---|---|
| 31 | 2820 | 30 and @ad < "20020903" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 32 | 57 | 31 and match\$4 and weight\$1 and (dbms or (database adj management adj system\$1)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 33 | 16 | 32 and schema\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 34 | 13 | 33 and (zero or "0.0" or "0") and (one\$1 or 1 or "1.0") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 35 | 8 | 35 and (min or minimum) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 36 | 8 | 36 and (max or maximum) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |

| | Hits | Search Text | DBs |
|----|------|---|---|
| 37 | 0 | 37 and secur\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 38 | 8 | 37 and (sum or total\$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 39 | 6 | (("5999972") or ("6035055") or ("5835755") or ("5915250") or ("5963940") or ("20010047276")) .PN. | US-PGPUB; USPAT |
| 40 | 8 | 39 and result\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 41 | 8 | 41 and access\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 42 | 7 | 42 and date\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 43 | 0 | 44 and greedy | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |

| | Hits | Search Text | DBs |
|----|------|---|---|
| 44 | 4 | 43 and fuzzy | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 45 | 0 | 44 and leaf | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 46 | 0 | 40 and greedy | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 47 | 4 | 44 and librar\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 48 | 4 | 48 and range\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 49 | 0 | 49 and (ssl or (secured adj socket\$1 adj layer\$1)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |

| | Hits | Search Text | DBs |
|----|------|---|---|
| 50 | 0 | 42 and (ssl or (secured adj socket\$1 adj layer\$1)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 51 | 0 | 35 and (ssl or (secured adj socket\$1 adj layer\$1)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 52 | 0 | 32 and (ssl or (secured adj socket\$1 adj layer\$1)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 53 | 0 | 32 and (ssl or (secure\$1 adj socket\$1 adj layer\$1)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 54 | 12 | 31 and (ssl or (secure\$1 adj socket\$1 adj layer\$1)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 55 | 1 | 55 and driver\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |

| | Hits | Search Text | DBs |
|----|------|----------------------|---|
| 56 | 0 | 56 and pars\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 57 | 4 | 49 and partition\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 58 | 4 | 58 and horizontal\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 59 | 4 | 59 and vertical\$2 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 60 | 1 | ("200298419").PN. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 61 | 0 | ("jp200298419").PN. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |